

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

CHOICE WILD PLANTS

Collected From Their Native Haunts, Or Grown By

LIBRARY
RECEIVED
JUN 19 1930
U. S. Department of Agriculture

HOPEDALE NURSERIES

J. W. Griesemer, Prop.

Hopedale, Ill.

Our collectors are located advantageously and can secure almost any native plant for us, if we have the order in time to locate and get the plants.

We are members of the American Nurserymen's Ass'n., Ill. State Nurserymen's Ass'n., Ill. State Horticultural Society, National Plant Growers Ass'n., and other allied societies.

We operate a general nursery of over 40 acres in actual nurseries, have extensive shaded beds to grow shade plants, and have been in the business here nearly 35 years. From a meagre beginning, our annual turnover has grown to \$20,000.00. We are not unknown in the trade, and number among our Wild Plant Customers, many—very many nationally known men and women. Wild Plants are more and more in demand with the more cultured. It is a growing business.

It is necessary to revise our list again, account of the changing source of supply in both sorts and quantities. Many items we are able to lower in price, but on more of them we had to raise the price a little, owing to scarceness, or greater distance we must go to get them, etc. A few items we had to drop out of our list, account of scarceness and uncertainty of getting them. We have added many more, though, and this may interest some of our old customers, as well as new.

I want to thank you for the splendid business in the past, and tell you how very much I enjoy doing business with you. Lovers of Wild Plants are surely a mighty fine lot of people. So long as my health permits (I am 65 years 'young'), I hope to continue doing business with you, to our mutual benefit and pleasure.

TERMS.

5 of a sort at 10 rates. 50 at 100 rates. 500 at 1,000 rates. If thousand or more are



Helianthus

wanted in any item, or items, it is best to send list of wants for special quotations. Packing free, unless crating of tops is necessary on out of season shipments. Crating would be added at cost.

10 days to responsible parties. 30 days to dealers, nurserymen and landscapists. Dealers are entitled to reasonable reductions from these prices on 100 and 1,000 lots. Write for net prices.

Prices f. o. b. Hopedale, or point of collection. Larger lots are shipped directly from collectors to customers. All goods travel at purchasers risk and expense. If wanted by Parcel Post be sure to send enough to cover same. If too much is sent, it will be returned promptly.



Columbine


Guarantee: We do not guarantee plants to grow, or produce results. WE DO guarantee all plants to be in prime condition, well packed to reach destination in good order, if not unduly delayed in transit. Too many plants are planted where they can not succeed, or poorly handled. Too many things may happen to them after leaving our hands for us to guarantee more than this. You will find us ready to replace free, or return purchase money where cause of failure is in any way our fault. WE WANT to correct any mistake in grade, count or packing.

SEEDS: We can collect seeds of many of these sorts, if ordered before they ripen. We do not collect many sorts to store. Some few sorts we do collect. Also in filling orders sent in, usually there is a little surplus accumulated. These we offer to our customers, or plant them.

ROCK GARDENS are very popular. They vary so much in form, location, etc. that they can use most of the plants we list effectively, by selecting the proper location for them. Some thrive in sun, others in shade—dense or open. Some need a lot of moisture, others very little, and so on. Some plants succeed almost anywhere. Among these, the ones used most for rock gardens are *Campanula rotundifolia*, *Aquilegia canadensis*, *Anemone cylindrica*, some *Asters*, *Camassia esculenta*, *Ox Eyed Daisy*, *Convallaria majalis*, *Delphinium tricornis*, *Echinacea purpurea* (Tall), *Dodecatheon media*, *Eupatorium urticaefolium*, both *Euphorbias*, *Geranium maculatum*, *Hypericum cistifolium*, *Iris pumila*, *Liatris* (Taller), *Monarda fistulosa*, *Monarda didyma*, *Oxalis violacea*, *Pentstemon*, *Petalostemum*. The several *Phloxes*, *Ranunculus*, *Ruellia*, *Saponaria officinalis*, all three of the *Silenes*, *Stylophorum diphyllum*, all the *Tradescantias*, *Violets*, etc. Many others may be used in rockeries by placing them in shade, sun, moist or dry locations, according as their needs require. Wild Plants are being used in increasing quantities in rockeries. Try them. Many other Wild Plants may be used in special places, where taller plants are indicated, or in very moist places, where plants liking moisture would thrive. Many of the Ferns would do well in points shaded and moist, if soil is rich and loose.



Rudbeckia



Anemone

Dry gravelly or sandy places grow both *Callirhoe* (Poppy Mallows) *Callirhoe involu-crata* (Vining) and *Callirhoe triangulata* (Erect), *Liatris scariosa*, *Amorpha canescens*, the *Lithospermums*, *Phlox bifida*, *Viola pedata* and many others.

Bogs or quite damp places use the *Lobelias*, *Skunk Cabbage*, *Cat Tails*, *Marsh Marigolds*, *Iris*—most sorts, especially *Iris versicolor* and *Iris cristata lacustris*, *Acorus calamus*, *Cypripedium parviflorum* and *Cypripedium spectabile*, *Eupatorium maculatum*, *Filipendula rubra*, *Liatris* (Kansas Gay Feather), *Mentha piperita* and *Mentha spicata*, *Sarracenia purpurea*, etc.

EXPLANATIONS.

To help our customers in making selections, we name first, the Botanical names. Next the most usual common name. It must be remembered that common names vary with almost each community. Botanical name is same every where. Next "Where it Grows" (in nature) to help you know where to plant. "Sun-Sods" means the plant is found in dense sod in the open sun, etc. Next "Color of Flowers." Last, "Time of Bloom," to help arrange flowering season. Remember time is for this latitude, (40½ N.) N. or S. of here would vary, according to distance. After the price column, we name where we usually secure our stock from M. Mich., H. here, I. or Ind. Indiana, etc. Many items are secured from several places, as you note. Usually Northern sources, though higher, are cheaper, for Northern growers.

PERENNIALS

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
<i>Achillea millefolium</i> , Yarrow, sun-sods, white, June-Aug.-----					\$.10	\$.50	\$ 3.00	Here
<i>Acorus calamus</i> , Sweet Flag, bogs, yellow, June-----					.15	.60	4.00	Here
<i>Actaea alba</i> , White Baneberry, shade-ravines, white, May-----					.20	.80	6.00	H&M.
<i>Actaea rubra</i> , Red Baneberry, shade-ravines, red, May-June----					.25	1.00	7.50	M.&S.D
(Both berries some what poison)								
<i>Allium canadense</i> , Wild Meadow Garlic, damp places, white, July--					.10	.50	2.50	Here
<i>Allium cernuum</i> , Nodding Wild Onion, damp shade, pink, June-July					.15	.60	5.00	Here
<i>Allium tricoccum</i> , Wild or Wood Leek, open shade, white, June--					.20	1.00	8.00	Here
<i>Amorpha canescens</i> , Lead Plant, open sun, violet, July-----					.20	1.00	7.50	Here
<i>Anemone canadense</i> , White Anemone, open sun, white, May-July					.15	.75	5.00	Here
<i>Anemone cylindrica</i> , Thimble Weed, anywhere, white July-Aug. -					.15	.75	6.00	H&I.
<i>Anemone quinquefolia</i> , Wood Anemone, part shade, white, May-June					.10	.50	4.50	Ind.
<i>Anemone virginica</i> , Tall Anemone, open woods, white, June-Aug.					.15	1.00	5.00	Ind.
<i>Anemonella thalictroides</i> , Rue Anemone, woods, white, April-June					.15	.75	6.00	HI.&M.
<i>Aplectrum hyemale</i> , Putty Root, rich shade, yellow-purple, June					.25	2.00		H&Ind.
<i>Aquilegia canadensis</i> , Wild Columbine, anywhere, yellow-red, May-July, Light plants-----					.15	.60	4.50	HI.&M.
2 Yr. plants -----					.20	1.00	6.00	
XX Plants -----					.25	1.50	12.00	
<i>Aralia nudicaulis</i> , Dwf. Spikenard-woods, Green-white, May-June					.20	1.25	8.00	Mich.
<i>Aralia racemosa</i> , Spikenard, ravines, white, June-----					.20	1.50	10.00	HI.&M.
<i>Arethusa bulbosa</i> , Dragons Mouth, bogs, rose-purple, May-June--					.30	2.50	10.00	W.&M.
<i>Arisaema dracontium</i> , Dragon Leaved Ind. Turnip, open woods, green-purple, May -----					.15	.70	6.00	Here
<i>Arisaema triphyllum</i> , Indian Turnip, open woods, green purple, May -----					.10	.50	4.00	Here
<i>Aristolochia serpentaria</i> , Virginica Snakeroot, open shade, white, June-July -----					.20	1.25	8.00	Here
<i>Artemisia serrata</i> , Dusty Miller, sun, greenish yellow, August--					.10	.60	4.00	Here
<i>Asarum canadense</i> , Wild Ginger, rich shade, violet, April-May--					.10	.50	4.00	Here
<i>Asclepias incarnata</i> , Swamp Milkweed, open flats, pink-lilac, July-September -----					.20	1.00	7.00	Here
<i>Asclepias purpurascens</i> , Purple Milkweed, dry waste, purple, June-August -----					.15	1.25	8.00	Ind.
<i>Asclepias rubra</i> , Red Milkweed, open sun, red, July-----					.20	1.50		Here
<i>Asclepias syrica</i> , Common Milkweed, fields, lead-lavender, June-August -----					.15	1.00	6.00	Here
<i>Asclepias tuberosa</i> , Butterfly Weed, sun-sod, yellow-red, July-September -----					.25	1.50	8.00	Here
<i>Asclepias verticillata</i> , Whorled Milkweed, sun-sods, white, July-August -----					.10	.50	3.00	Here
<i>Asclepias assorted</i> , sun-sods, August-September-----						.60	4.50	Here
<i>Aster cordifolius</i> , Wood Aster, woods, Violet-Blue, Sept.-Oct.----					.15	.50	4.00	Here
<i>Aster novae angliae</i> , New England Aster, sun-sod, purple, July-September -----					.15	1.00	7.00	Here
<i>Aster sagittifolius</i> , Arrow Leaved Aster, sun-sod, blue, September-October -----					.15	.60	5.00	Here
<i>Aster separte</i> colors, July-November-----					.15	.50	4.50	Here
<i>Aster assorted</i> , sun-sods, August-September-----						.50	4.00	Here
<i>Baptisia australis</i> , Blue False Indigo, open sun, blue, June-July--					.20	1.50	10.00	Here
<i>Baptisia bracteata</i> , Bracted False Indigo, open-sun, yellow, May-June -----					.20	1.25	8.00	Here
<i>Batisia leucantha</i> , Delicate White False Indigo, sun-sod, white July -----					.20	1.25	8.00	Here
<i>Baptisia tinctoria</i> , Yellow Wild False Indigo, open borders, yellow, June-September -----					.20	1.25	8.00	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Belamcanda chinensis,	Blackberry Lily,	anywhere,	yellow,	July-September	.15	1.25	9.00	Ind.
Calla palustris,	Wild Calla,	Marshes,	white,	Aug.-Sept.	.25	2.00	12.50	Wisc.
Callirhoe triangulata,	Clustered Poppy	Mallow, dry-sandy,	purple,	August-September	.15	1.00	7.00	Here
Caltha palustris,	Marsh Marigold,	bogs,	yellow,	April-May,				
1 to 3 plant clumps					.20	1.00	5.00	Mich.
4 to 6 plant clumps					.25	2.00	10.00	
Camassia quamash,	Wild Hyacinth,	rich, open places,	light blue,	April-May	.20	1.50	10.00	W.M.&I.
Campanula rapunculoides,	False Rampion,	open spaces,	purplish blue,	July-September	.15	1.20	7.00	N.Y.
Campanula rotundifolia,	Harebells,	anywhere,	blue,	July-Oct.	.15	1.00	6.00	W.M.&I.
Carex plataginea,	Plantain Leaved	Carex, rich shade,	purple,	April-May	.15	.75	5.00	Here
Caulophyllum thalictroides,	Blue Cohosh,	ravines,	white,	May	.20	1.00	7.00	H&M.
Chelone glabra,	Turtle Head,	wet places,	white,	July-Sept.	.15	.80	7.00	H&N.C.
Chelone lyonii,	Pink Turtle Head,	swamps,	purple,	Aug.-Oct.	.20	1.00		I.&N.C.
Chichorium intybus,	Common Chicory,	roadside,	blue,	July-Oct.	.15	1.00	6.00	Here
Chimaphila umbellata,	Princess Pine,	dry woods,	white-pink,	June-August	.15	1.00	4.50	Mich.
Chrysanthemum leucanthemum,	Oxeyed Daisy,	anywhere,	sun, white,	August-October	.10	.60	4.00	Here
Cimicifuga americana,	Am. Bugbane,	hillsides,	Wh.	May-June	.15	1.25	7.50	Here
Cimicifuga racemosa,	Black Cohosh,	open shade,	white,	June-July	.20	1.50	8.00	N.C.
Claytonia virginica,	Spring Beauty,	open shade,	pink,	April-May	.10	.50	4.00	Here
Clintonia borealis,	Yellow Clintonia,	shade,	yellow,	May-June	.15	.75	4.50	N.C.M.&I.
Convallaria majalis,	Lily of the Valley,	part shade,	white,	May-June	.10	.50	3.00	Here
Coreopsis,	assorted, not botanized,	Damp borders,	yellow,	Aug.-Oct.	.15	.75	6.00	Here
Coptis trifolia,	Golden Thread,	damp places,	white,	May-August	.15	1.00	7.50	Wisc.
Corallorrhiza,	Coral Root,	open woods,	dull purple,	May-June	.20	1.50	10.00	Ind.
Cornus canadensis,	Dwarf Cornel,	open woods,	white,	May-July	.20	1.50	10.00	Mich.
Cypripedium acaule,	Brown Ladyslippers,	upland,	brown,	May	.20	1.50	10.00	M.N.C.&VT.
Cypripedium parviflorum,	Smaller Yellow Ladyslippers,	bogs,	yellow,	May-July	.20	1.60	11.00	Mich.
Cypripedium pubescens,	Large Yellow Ladyslipper,	upland,	hills,	yellow, May	.20	1.60	12.00	Mich.
Cypripedium spectabile,	Showy Ladyslippers,	bogs,	pink,	May	.25	2.00	15.00	Mich.
All Cypripediums are sold by the flowering Buds. If PLANTS are wanted instead of buds, be sure to state so. You will be billed by the number of flowering buds the plants contain.								
Delphinium triceorne,	Dwarf Larkspur,	sun and shade,	dark blue,	May-June	.15	.75	6.00	H&I.
Dentaria diphylla,	Crinkled Root,	rich woods,	white,	May	.10	.75	4.00	Mich.
Dicentra canadensis,	Squirrel Corn,	deep shade,	pinkish, white,	April-May	.10	.40	3.00	H&M.
Dicentra cucullaria,	Dutchman Breeches,	deep shade,	white,	April-May	.15	.60	5.00	Here
Dicentra eximia,	Wild Bleeding Heart,	any where,	deep pink,	May-Frost	.30	2.25	17.50	N.C.
Dodecatheon media,	Shooting Star,	sun-sod,	pink,	May-June	.15	.75	6.00	H&I.
Echinacea angustifolia,	Purple Cone Flower,	dry gravelly,	purple,	June	.15	1.00	7.00	Here
Echinacea purpurea,	Garden Purple Cone Flower,	rich soil,	purple-crimson,	June-frost	.15	1.00	7.00	Here
Epilobium angustifolium,	Great Willow herb,	dry soils,	purple,	early	.10	.75	5.00	Mich.
Equisetum hyemale,	Scoring rush,	sunny places,	green-yellow,	May-June	.10	.50	4.00	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
<i>Erigenia bulbosa</i> , Harbinger of Spring, shade, pink-white, April-May					.10	.75	6.00	H.&I.
<i>Erigeron philadelphicus</i> , Daisy Fleabane, open woods, light rose-purple, April, August					.20	1.25	7.50	Mich.
<i>Erigeron pulchellus</i> , Robins Plantain, hill sides, violet, April-June					.15	1.25	7.50	Ind.
<i>Eryngium aquaticum</i> , Button Snake Root, sun-sod, white, July--					.15	.60	5.00	Here
<i>Erythronium albidum</i> , White Adders Tongue, shade, April-May--					.10	.75	6.50	Here
<i>Erythronium americanum</i> , Yellow Adders Tongue, shade, April-May					.10	.75	6.50	Mich.
<i>Eupatorium coelestinum</i> , Mist Flower, anywhere, blue-purple, July-Sept.					.15	1.00	6.50	H.&I.
<i>Eupatorium maculatum</i> , Spotted Joe Pye Weed, moist places, sun, pink-purple, Aug.-Sept.					.25	1.25	10.00	Here
<i>Eupatorium perfoliatum</i> , Boneset, wet places, white, July-Aug----					.15	1.00	7.50	Here
<i>Eupatorium purpureum</i> , Joe Pye Weed, open shade, purple, July-Sept.					.20	1.00	7.00	Here
<i>Eupatorium urticaefolium</i> White Snake Root, open shade, white, Sept.-Nov.					.10	.75	5.00	Here
<i>Euphorbia corollata</i> , Flowering Spurge, open sun, white, July-Sept.					.15	.80	6.00	Here
<i>Euphorbia cyparissias</i> , Cyprus Spurge, sun yellow, June-----					.10	.50	4.00	Here
<i>Filipendula rubra</i> , Pink Meadowsweet, Prairie, damp sun, June-July					.15	1.00	6.00	Here
<i>Gentian andrewsii</i> , Closed Gentian, damp sun, blue-pink, August-October					.15	1.00	7.00	M.Vt.&N.Y.
<i>Gentian saponaria</i> , Soapwort, damp soil, light blue, August-Oct----					.15	1.00	8.00	Ind.
<i>Gentian</i> , Prairie Gentian, open sun, blue, Aug.-Sept.-----					.20	1.50		Here
<i>Geranium maculatum</i> , Crane's Bill, anywhere, pink, May-June----					.10	.60	4.50	Here
<i>Goodyera pubescens</i> , Rattlesnake Plantain, woods, white, July-Sept.					.15	1.00	8.00	M.&W.
<i>Habenaria dilatata</i> , White Bog Habenaria, bogs, white, June-Sept.					.20	1.25	6.50	Mich.
<i>Habenaria flava</i> , Yellow Habenaria, bogs, greenish yellow, June-July					.25	2.00	15.00	Wisc.
<i>Habenaria hookeri</i> , Hooker Habenaris, greenish yellow, June-Sept.					.25	2.00	15.00	Wisc.
<i>Habenaria psycodes</i> , Purple Fringed Habenaris, wet places, lilac, July-August					.25	2.00	15.00	Wisc.
<i>Helenium autumnale</i> , False or Swamp Sunflower, wet places, yellow, August-Oct.					.15	1.00	7.00	Mich.
<i>Helianthus giganteus</i> , Tall Sunflower, sun-sod, yellow, September-October					.15	1.00	6.50	Here
<i>Helianthus mollis</i> , Hairy Sunflower, sun-sod, yellow, July-Sept----					.15	1.25	8.00	Here
<i>Helianthus tuberosa</i> , Artichoke, Waste, sunny places, yellow, Aug.-Oct.					.15	1.00	6.00	Here
<i>Helianthus</i> , assorted, sun-sod, yellow, July-Nov.					.15	1.00	6.50	Here
<i>Hepatica acutiloba</i> , (Evergreen) deep shade, pink, April-May					.10	.40	1.50	Here
1 to 2 plant clumps					.20	.80	3.50	
3 to 4 plant clumps					.30	1.50	9.00	
5 to 6 plant clumps					.40	2.00	15.00	
7 to 10 plant clumps								
<i>Heuchera americana</i> , Alum Root, dry-rocky woods, greenish white, May-August					.10	.75	3.50	Ind.
<i>Hieracium aurantiacum</i> , Orange or Twany Hawkweed, waste places, orange-red, June-Sept.					.15	1.00	6.00	Mich.
<i>Houstonia caerulea</i> , Bluets, moist places, blue, May, small clumps					.10	.75	5.00	Vt.&Mich.
<i>Hydrastis canadensis</i> , Golden Seal, rich shade, green, white, May					.10	.60	4.50	Here
<i>Hypericum cistifolium</i> , Round Podded St. John's Wort, sun, yellow, July-August					.10	.60	4.00	Here
<i>Inula helenium</i> , Elecampane, waste places, yellow, July-Sept----					.25	2.00	12.00	Here
<i>Iris cristata</i> , Crested Mt. Iris, shade, blue, April-May-----					.10	.80	6.00	N.C.

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Iris cristata lacustris, Dwarf Lake Iris, water edge, or shade, blue, May -----					.15	1.00	8.00	Mich.
Iris, German, 20 colors, May -----					.15	1.00	5.00	Nur.
Iris Japanese, Mixed, June-July -----					.25	2.00	18.00	Nur.
Iris pumila, Dwf. Blue Iris, borders, sun, April-May -----					.10	.60	4.50	Nur.
Iris pumila alba, Dwf. White Iris, May -----					.20	1.50		Nur.
Iris pumila sulphurea, Dwarf Yellow Iris, May -----					.15	1.00	7.00	Nur.
Iris siberica (or Spanish), deep blue and snow white, May -----					.15	1.00	6.00	Nur.
Iris verna, Dwarf Iris, hillsides, shade, violet-blue, April-May-----					.15	1.00	5.50	N.C.
Iris versicolor, open sloughs, blue, May -----					.15	.75	5.00	Here
Isopyrum biternatum, False Rue Anemone, rich shade, white, April-May -----					.10	.50	4.00	Here
Jeffersonia diphylla, Twin Leaf, rich shade, white, May-June-----					.15	1.00	7.50	Ind.
Krigia virginica, Cynthia, open woods, yellow, June-July-----					.15	1.00	7.00	H&I.
Lepachys pinnata, Gray Headed Cone Flower, yellow, rays, sunny roadsides, June-Sept. -----					.15	1.00	6.00	Here
Lespedeza frutescens, Bush Clover, dry soil, pinkish, purple, Aug.-Sept. -----					.15	1.00	7.00	H&I.
Liatris pycnostachya, Kansas Gay Feather, reddish purple, rich soil, July-August -----					.15	1.00	7.00	Here
Liatris scariosa, Button Blazing Star, sun, dry, purple, July-Sept. -----					.10	.75	5.00	Here
Liatris spicata, Common Blazing Star, open sun-moist, purple, July-August -----					.15	.75	6.00	Here
Lilium canadensis, Wild Canadian Lily, anywhere, yellow, June-July -----					.20	1.50	10.00	N.H.&Here
Lilium philadelphicum, Wood or Wild Red Lily, open shade, red-yellow, June -----					.15	1.00	7.00	Mich.
Lilium superbum, Turks Cap Lily, meadow, yellow, June-July-----					.20	1.75	12.00	N.H.Minn&H
Lithospermum angustifolium, Narrow Leaved Puccoon, dry soil, bright yellow, April-July -----					.15	1.00	7.50	Ind.
Lithospermum canescens, Puccoon, open sun, yellow, May-June--					.15	.80	6.00	Here
Lithospermum carolinensa, Hairy Puccoon, South hillsides, yellow, May-June -----					.15	.75	5.50	H&I.
Lobelia cardinalis, Cardinal Flower, moist-rich soil, cardinal, July-Sept. -----					.10	.75	6.00	M.N.C&H.
Lobelia kalmii, Brook Lobelia, wet places, light blue, July-Sept.--					.15	.80	5.00	Mich.
Lobelia siphilitica, Great Blue Lobelia, moist soil, blue, July-Oct. -----					.10	.75	5.00	Here
Lupine perennis, Blue Lupine, dry-sandy soil, blue, May-June--					.25	2.00	10.00	Ind.
Lycopus americanus, Water Horehound, low grounds, green-white, July-October -----					.10	.50	4.00	Ind.
Maianthemum biflorum, Two Leaved Solomon Seal, open shade, White, May-June -----					.15	.75	6.00	Ind.
Marrubium vulgare, Horehound, waste places, white, June-August -----					.15	.50	4.00	Here
Medeola virginica, Indian Cucumber, Root, shaded, hillsides, green-yellow, Sept. -----					.10	.60	4.50	Mich.
Melanthium virginicum, Bunch Flower, sun-sod, white, July-----					.15	.80	6.50	Here
Mentha piperita, Peppermint, moist, rich soil, white, May-----					.10	.50	3.00	Here
Mentha spicata, Spearmint, moist, rich soil white, May-----					.15	.50	3.00	Ind.
(Ask for prices on large lots for commercial plantings in Mints)								
Mertensia virginica, Blue Bells, rich, shade, April-May -----								Here
XX Grade -----					.25	2.00	12.50	
Firsts -----					.15	1.00	6.00	
Seconds -----					.10	.50	3.00	
(Ask for prices in large lots)								
Mertensia virginica alba, White Blue Bells, rich, shade, April-May -----					.50	4.00		
Mitella diphylla, Two Leaved Bishop's Cap, rich woods, white, April-May -----					.15	1.25	6.00	Ind.
Monarda didyma, Oswega Tea, moist places, red, July-Sept.-----					.15	.75	5.00	Nur.
Monarda fistulosa, Pink Horsemint, sun-sod, pink, July-Sept.-----					.15	.60	4.00	Here
Nepeta cataria, Catnip (biennial) anywhere, white, June-on -----					.10	.40	3.00	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Nymphaea advena, Yellow Pond Lily, ponds, June-Sept.-----					.50	3.50	20.00	Mich.
Nymphaea odorata, Sweet Scented Lily, white, July-Sept.-----					.40	3.00	22.50	H&M.
Oenothera biennis, Common Evening Primrose, (biennial) sun, yellow, June-Sept. 1 yr. -----					.10	.50	4.00	H&M.
Oenothera speciosa, Showy Evening Primrose, sun, white-pink, May-August -----					.20	1.50		Here
Orchis spectabilis, Showy Orchids, rich woods, pink, April-June--					.25	2.25	17.50	Ind.
Oxalis violacea, Violet Sheep Sorrel, sun-sod, violet, May-----					.10	.50	4.00	Here
Panax quinquefolia, Ginseng, rich shade, white, May-June-----					.10	.75	5.00	Ga.N.C.&H.
Parnassia caroliniana, Grass of Parnassus, swamps, white, June-September -----					.10	.60	4.50	Mich.
Pedicularis canadensis, Wood Betony, sun, yellow, May-----					.15	1.00	7.50	Here
Pentstemon hirsutus, Hairy Beards Tongue, sun-sod, Pink-White, June-July -----					.10	.75	5.00	Ind.
Pentstemon laevigatus, Smooth Beards Tongue, sun-sod, white, June-July -----					.15	1.00	8.50	Here
Petalostemum candidum, White Prairie Clover, sun-sod, July-Aug.					.15	.75	5.00	Here
Petalostemum villosum, Purple Prairie Clover, sun-sod, July-Aug.					.15	.75	6.00	Here
Phlox bifida, Cleft Phlox, dry places, mixed, April-June-----					.15	1.25	8.00	Here
Phlox bifida alba, White Cleft Phlox, dry places, April-June ----					.15	1.25	10.00	Here
Phlox divaricata alba, White Sweet Williams, open woods, white, May-June -----					.15	1.00	8.00	Here
Phlox divaricata, Sweet Williams, open woods, Lilac to Blue, May-June -----								Here
Phlox glaberrima, Tall Wild Prairie Phlox, Prairies, Pink, June-July -----								Here
Phlox pilosa, Dwarf Prairie Phlox, prairies, red, May-June-----								Here
Either of the above unpriced plants								
of 1 stem -----					.10	.25	1.50	
2 to 4 stems -----					.10	.75	5.00	
5 to 6 stems -----					.15	1.25	7.00	
7 to 10 stems -----					.20	1.50	10.00	
10 stems up -----					.25	2.00	15.00	
Phlox pilosa alba, White Prairie Phlox, open sun, May-June-----					.15	1.00	8.00	Here
Phlox subulata, Ground Phlox, anywhere, pink, lavender and white, April-June, Divisions -----					.15	1.00	6.00	Nur
Physostegia virginiana, False Dragon Head, sun-sod, pink, June-August -----					.15	.75	5.00	Here
Physostegia virginiana alba, White False Dragon Head, sun-sod, white, May-September -----					.15	.80	6.50	Nur
Podophyllum peltatum, May Apples, Mandrake, open shade, white, May-June -----					.10	.60	4.00	Here
Polemonium reptans, Greek Valerian, rich shade, blue, May-----					.15	.60	5.00	Here
Polygala paucifolia, Flowering Wintergreen, open woods, rose-purple, May-July -----					.20	1.75	12.00	Wisc
Polygonatum biflorum, Solomon Seal, shade, green-white, May-----					.10	.65	5.00	Here
Polygonatum commutatum, Giant Solomon Seal, shade, green-white, May -----					.15	1.00	8.00	Here
Prunella vulgaris, Selfheal, waste places, violet, May-October----					.15	1.00	6.00	Mich.
Pyrola elliptica, Shinleaf, dry shade, green-white, May-----					.10	.75	6.00	Ind.
Ranunculus acris, Common Buttercup, borders or sun, yellow, May					.10	.60	4.50	H&M.
Ranunculus repens, Creeping Buttercup, sun, yellow, May-----					.10	.60	4.50	H&M.
Rudbeckia laciniata, Wild Golden Glow, open shade, yellow, July-August -----					.15	.60	5.00	Here
Ruellia pendunculata, Stalked Ruella, sun, light purple, June-Aug.					.15	1.00	7.00	Here
Sanguinaria canadensis, Blood Root, deep shade, white, April-May					.10	.50	4.00	Here
Saponaria officinalis, Bouncing Bet, anywhere, pink, June-Oct.----					.15	.75	5.00	Here
Sarracenia purpurea, Pitcher Plant, bogs, purple, June-----					.15	.75	6.00	Mich.
Saururus cernuus, Lizard's Tail, swamps, white, June-August----					.15	1.00	8.00	Here
Saxifraga pennsylvanica, Swamp Saxifraga, swamps, green, May----					.15	1.25	10.00	Ind.
Scutellaria galericulata, Scull Cap, moist places, violet, June-Aug.					.15	1.00	6.00	Here
Sedum ternatum, Wild Stone Crop, rocky woods, Aug.-Sept.-----					.10	.50	4.00	Ind.

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Senecio aureus, Golden Ragwort, open, dry woods, yellow, May-July					.15	.75	5.00	Here
Silene pennsylvanica, Wild Pink, dry, rocky soil, pink, May-Sept.					.15	.80	6.00	Mich.
Silene stellata, Stary Campiom, open shade, white, July					.15	.75	5.50	Here
Silene virginica Fire Pink, dry woods, bright red, May-June					.15	1.00	7.50	Ind.
Silphium lacinatedum, Compass Plant, sun-sods, yellow, July-Aug.					.25	2.00	10.00	Here
Silphium perfoliatum, Indian Cup, rich, damp soil, yellow, July-September					.20	1.50	7.50	Here
Silphium terebinthaceum, Prairie Dock, sun, yellow, July-August					.25	2.00	9.00	Here
Sisyrinchium angustifolium, Blue Eyed Grass, sun-sod, blue, May-June, Clumps					.15	.75	5.00	Here
Smilacina racemosa, False Solomon Seal, open woods, white, May-July					.15	.75	5.50	Here
Smilacina stellata, Star Flowered Solomon Seal, moist shade, white, May-July					.15	.75	5.00	Ind.
Smilacina trifolia, Three Leaved Solomon Seal, wet places, May-June					.20	1.50	10.00	Wisc.
Solidago canadensis, Canadian Golden Rod, open sun, borders, August-October					.15	.80	6.00	H.M.&I.
Solidago, Golden Rod, assorted, open sun, yellow, Aug.-Oct.					.15	.75	5.00	H.M.&I.
Spiranthes cernua, Lady's Tresses, swamps, white, Aug.-Oct.					.15	1.00	8.00	Mich.
Stylophorum diphyllum, Yellow Poppy, Calendine, rich, open woods, yellow, May-September					.20	1.50	10.00	Ind.
Symplocarpus foetidus, Skunk Cabbage, bogs, yellow, February-March					.20	1.50	10.00	Here
1 Yr. Seedlings					.15	1.00	8.00	Here
Tanacetum vulgare, Tansey, anywhere, yellow, June					.15	.60	4.50	Here
Thalictrum dioicum, Dwarf Meadow Rue, open woods, greenish white, April-May					.15	1.00	5.00	Mich.
Thalictrum polygamum, Tall Meadow Rue, open shade, white, June-July					.15	.75	5.00	Here
Tradescantia bracteata, Dwarf Pink Spiderwort, open shade, pink, May-July, singles					.15	1.25	10.00	Here
Tradescantia pilosa, Zig Zig Spiderwort, moist, open shade, lilac-blue, June-Sept., singles					.10	.60	4.00	Here
Tradescantia virginica, Spiderwort, sun or woods, purplish, May-August, singles					.10	.60	3.00	Here
Small Clumps					.15	1.00	6.00	Here
Tradescantia virginica alba, White Spiderwort, anywhere, white, May-August					.20	1.50		Nur.
Tradescantia virginica nina, Dwarf Blue Spiderwort, anywhere, blue, April-July, Singles					.10	.75	5.00	Here
Small Clumps					.15	1.25	9.00	
Trientalis americana, Star Flower, woods, white, May					.15	.75	6.00	Ind.
Trillium grandiflorum, Large White Trilliums, shade, white, May-XX grade					.15	1.00	6.00	Here
Firsts					.10	.75	3.50	Here
Seconds					.10	.40	1.50	Here
Trillium nivale, Dwarf White Trilliums, deep shade, white, early April					.10	.60	4.00	Here
Trillium recurvatum, Brown Trillium, open shade, May-June					.10	.50	3.50	Here
Triosteum perfoliatum, Horse Gentian, open shade, purple, May-June					.20	1.50	10.00	Here
Typha latifolia, Cat Tails, swamps, yellow, July-Aug.					.15	1.00	7.00	Here
Uvularia perfoliata, Bellwort, rich shade, yellow, May-June					.10	.60	5.00	Here
Verbascum thapsus, Great Common Mulen (Biennial), pastures, yellow, June-Sept.					.10	.75	6.00	Ind.
Verbena hastata, Blue Verbane, moist places, sun, purple, July-Sept.					.15	.60	5.00	Here
Verbena stricata, Mullen Leaved Verbane, dry pastures, blue, August-Sept.					.15	.50	4.00	Here
Vernonia altissima, Tall Iron Weed, open sun, violet, July-Oct.					.20	1.00	6.00	Here

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Veronica virginica, Culvers Root, open shade, white, July-August					.15	.60	4.00	Here
Viola blanda, White Violet, moist, open shade, May-June-----					.10	.50	4.00	Here
Viola canadensis, Canada Violet, wooded hillsides, white, May September, Clumps -----					.25	2.00	10.00	Mich.
Viola lanceolata, Lance Leaf or White Violet, bogs, white, April-June -----					.15	1.00	7.00	Ind.
Viola palmata, Palm Leaved Violet, sun-sod, blue, May-June-----					.10	.60	5.00	Here
Viola papilionacea, Common Blue Violets, open shade, May-June--					.10	.40	3.00	Here
Viole pedata, Bird's Foot Violet, sun-sod blue, May-June, singles					.10	.50	4.00	Here
Small Clumps -----					.15	.75	8.00	Here
Viole pedata bicolor, Two Colored Bird's Foot Violet, sun, all summer, dark and light blue, singles-----					.15	1.25	10.00	Here
Small Clumps -----					.25	2.00	17.50	Here
Viola pubescens, Common Yellow Violet, open shade, yellow, May					.10	.50	4.00	Here
Viola sagittata, Oval Leaved Violet, fields and hillsides, violet, April-May -----					.15	1.00	8.00	Ind.
Viola triloba, Three lobed Violet, dry woods, deep violet, April-May					.15	1.00	7.50	Ind.
Nearly all violets have a light, Fall blooming season.								

FERNS

These may be moved at almost any season but handle best in Fall, and well in Spring. If moved in growing season, tops on, crating tops, added at cost.

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Adiantum pedatum, Maiden Hair, banks or flats, Light sods-----					\$.10	\$.50	\$ 2.50	Here
Medium sods -----					.15	.75	4.50	Here
Heavy Sod -----					.20	1.25	9.00	Here
Asplenium angustifolium, Narrow Leaved Spleenwort, shade-----					.15	1.00	7.00	H&I.
Asplenium Felix femina, Lady Fern, open shade -----					.20	1.25		Here
Asplenium thelypteroides, Silvery Spleenwort, rich woods-----					.15	1.00	7.50	Ind.
Botrychium ternatum, Ternate Grape Fern, rather dense shade, rich soil -----					.20	1.50	12.00	Here
Cystopteris bulbifera, Bulbet Bladder Fern, moist flats -----					.10	.60	4.50	Ind.
Cystopteris fragilis, Fragile Bladder Fern, moist flats -----					.10	.50	3.50	Here
Dicksonia punctilobula, Hay Scented Fern -----					.10	.50	3.50	Tenn.
Dryopteris hexagonoptera, Broad Beech Fern, shade -----					.10	.60	4.50	Here
Onoclea sensibilis, Sensitive Fern, flats -----					.15	.75	5.50	Here
Onoclea struthiopteria, Ostrich Fern, good foundation fern -----					.20	1.50	9.00	M.&N.Y.
Osmunda cinnamomea, Cinnamon Fern, hillsides, open shade-----					.20	1.25	8.00	T.&N.C.
Osmunda claytonia, Interrupted Fern, hillsides, open shade-----					.25	1.50	10.00	N.O.
Osmunda regalis, Royal Fern, hillsides, open shade -----					.20	1.25	8.00	T.&N.C.
Pellaea atropurpurea, Purple Cliff Break, Limestone Cliffs -----					.15	1.25	9.00	Ind.
Polypodium vulgare, Common Polypody Fern, Rock and Log cover					.10	.75	4.50	Mich.
Polystichum (Aspidium) acrostichoides, Christmas (Evergreen) open shade -----					.10	.50	4.25	H.T.I.
Polystichum (Aspidium) goldianum, Goldies Fern, rich woods-----					.25	1.50	12.50	I&M
Polystichum (Aspidium) marginale, Evergreen Wood, rich shade--					.15	.75	6.50	M.&N.Y.
Polystichum (Aspidium) spinulosum, Spinulose Wood (Evergreen) rich shade -----					.15	.75	6.00	M.&Vt.
Polystichum (Aspidium) thelypteris, Marsh Fern -----					.15	1.00	7.00	Here
Pteris aquilina, Brake, Eagle Fern, stands lots of sun -----					.15	1.00	7.00	H.I&M
Mixed lots, taller, to finish 18 in. up -----					.15	1.00	6.50	Here
Mixed lots of Ferns to suit our convenience -----					.10	.75	5.00	H.&I.

VINES

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Ampelopsis englemanii, Clinging Am. Ivy, 3 Yr. Heavy				-----	\$.35	\$3.00		Nur.
Ampelopsis englemanii, collected, mixed some with Am. Ivy				-----	.15	1.00	6.00	Here
Ampelopsis quinquefolia, American Ivy, rooted layers				-----	.10	.50	4.00	Here
Medum plants				-----	.15	1.25	8.00	Here
Heavy, Nursery grown				-----	.30	2.50		Here
Apois tuberosa, Ground Pea, brownish purple, moist places				-----	.25	2.00	8.00	Ind.
Callirhoe involucrata, Low Poppy Mallow, violet-red, May-Nov.				-----	.15	1.00	7.50	Here
Celastrus scandens, Bittersweet, thickets, red berries				-----	.15	1.00	7.00	Here
Clematis viorna, Leather Flower, sun-sod, blue, July-Aug.				-----	.20	1.50	12.00	Here
Clematis virginiana, Virgins Bower, border thickets, white, August-September				-----	.15	1.00	6.50	HM&I
Convolvulus arvensis, Lesser Binder Weed, sun, pink-white, July-Sept.				-----	.15	.75	5.00	Here
Convolvulus sepium, Greater Binder Weed, sun, pink, June-Sept.				-----	.15	.75	5.00	Here
Dioscorea villosa, Wild Yam, underbrush, greenish-red, June-July				-----	.15	1.00	8.00	Here
Euonymus obovatus, Trailing Waahoo, shade, greenish-yellow, April				-----	.10	.60	3.50	Ind.
Gaultheria procumbens, Spicy Wintergreen, shade, white, July-Clumps				-----	.20	1.50	7.00	M.&N.C.
Humulus lupulus, Hop Vine, anywhere, yellow, July				-----	.15	1.00	5.00	Here
Ipomoea pandurata, "Man of the Earth", river bottoms, purple, May-September				-----	.75	5.00	35.00	Here
Lonicera dioica, Wild Yellow Honeysuckle, yellow, anywhere, May-June				-----	.20	1.00	7.00	Here
Lycium halimifolium, Matrmony Vine, purple, berries, orange red, May-August				-----	.15	1.00	7.00	Here
Lysimachia nummularia, Money Wort, moist places, June-August				-----	.10	.50	3.00	Here
Menispermum canadense, Wild Sarsaparille, thickets, white, May				-----	.15	1.00	6.00	Here
Mitchella repens, Partridge Berry, shade, white, April-May-Clumps				-----	.20	1.25	8.00	Here
Nepeta hederacea, Ground Ivy, shade, purple, May-June				-----	.10	.50	3.00	Here
Smilax herbacea, Carrion Flower, moist meadows, border, white, black berries, April-June				-----	.20	1.00	7.50	Here
Smilax rotundifolia, Cat Brier, moist thickets, blue berries				-----	.20	1.00	7.50	Here
Tecoma radicans, Trumpet Creeper, anywhere, orange-scarlet, all Summer				-----	.20	1.00	6.00	Here
Vinca minor, Ground Myrtle, anywhere, blue, May-June				-----	.15	.60	3.50	H.M.&I.
Vitis, Wild Grape, mixed seedlings, anywhere, yellow, May, Fragrant				-----	.15	.75	5.00	Here

SHRUBS

Shrubs, Trees and Vines, with woody tops, must now be inspected, before shipping them out. PLEASE SEND ORDERS EARLY, to allow us to collect them for inspection, all together. Later orders must be sent on to Urbana for inspection, causing loss of time and money. Late orders will be delayed for this inspection. Early orders are gotten together, and an inspector comes on and inspects all together. Perennials require no inspection in this state. This explanation may save you vexation, account of delays on late orders, for inspection of woody topped items.

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native
Ceanothus americanus, New Jersey Tea, white, July				-----	\$.15	\$1.00	\$ 7.50	Here
Cercis canadensis, Red Bud, red, May, 2 to 3 ft.				-----	.20	1.50	10.00	H&T.
Cornus florida, White Flowering Dogwood, white, June-July, 2 to 3 ft. Tenn				-----	.10	.65	5.00	Tenn.
2 to 3 ft. New York				-----	.20	1.50	10.00	N.Y.

Botanical name	Common name	Where it grows	Color of flower	Time of bloom	Each	10	100	Where Native	
Cornus paniculata,	Brown Dogwood,	white,	June-July,	2 to 3 ft.	.15	1.00	7.00	Here	
Cornus stolonifera,	Red Osier Dogwood,	succors,	white,	May-August,					
18 to 36 in.					.15	.75	5.50	Mich.	
Corylus americana,	Hazel Nut,	Succors,	2 to 3 ft.		.15	.75	5.00	Here	
Clumps 3 to 4 ft.					.25	1.50	12.50	Here	
Crataegus,	Mixed Sdgs,	white,	May,	2 to 3 ft.	.20	1.50	10.00	Here	
Diervilla trifida,	Wild Weigela,	pale yellow,	May-Sept.,	6 to 18 in.	.15	1.00	6.50	N.Y.	
Euonymus americana,	Brook Waahoo,	purple,	June,	2 to 3 ft.	.15	.75	5.00	Tenn.	
Euonymus atropurpurea,	Waahoo,	purple,	June,	2 to 3 ft.	.15	1.00	7.00	Here	
Hydrangea aborescens,	Wild Hydrangea,	white,	June-July,	Succors	.15	.75	5.00	Here	
Clumps					.25	1.50	11.00	Here	
Malus coronaria,	Wild Crab,	pink,	May,	succors,	2 to 4 ft.	.15	.80	7.00	Here
Prunus americana,	Wild Plum,	white,	April,	3 to 5 ft., Trans-					
planted					.25	2.00	15.00	Nur.	
Prunus americana,	Transplanted,	5 to 7 ft.			.35	3.00	22.50		
Rhus canadensis (Aromatica)	Fragrant Sumac,	anywhere,	yellow,	May-June,	18 to 36 in.	.15	1.25	10.00	Here
Rhus copallina,	Dwarf Sumac,	green,	August,	1 to 2 ft.	.15	.75	5.00	Tenn.	
Rhus glabra,	Smooth Sumac,	anywhere,	white,	July,	2 to 3 ft.	.15	.50	4.00	Here
Rhus typhina,	Staghorn Sumac,	anywhere,	white,	July 2 to 3 ft.	.15	.75	6.00	N.Y.&Tenn.	
Ribes,	Wild Gooseberry,	open woods,	yellow,	April	.15	.75	5.00	Here	
Rosa blanda,	Smooth Wild Rose,	pink,	June-July,	anywhere	.15	.75	5.00	H.&Mich.	
Rosa humilis,	Dwarf Prairie Rose,	pink,	sun-sod,	June-September	.15	.85	5.00	Here	
Rosa lucida,	Thorny Rose,	pink,	anywhere,	June-July	.15	.75	5.00	Mich.	
Rosa nitida,	Dwarf Rose,	pink,	May-July		.15	.75	5.00	Here	
Rosa setigera,	Prairie Climbing Rose,	open border,	pink,	June-July	.20	1.50	8.00	Here	
Rubus,	Wild Blackberry,	sun or open shade			.10	.50	3.00	Here	
Rubus,	Wild Raspberry,	(black),	sun or open shade		.10	.50	3.00	Here	
Rubus,	Wild Dewberry,	open sun			.15	.60	4.00	Here	
Rubus odoratus,	Flowering Raspberry,	violet,	anywhere,	June-Sept.	.15	.80	6.00	N.Y.&M.	
Salix discolor,	Pussy Willow,	2 to 3 ft.			.15	1.25	10.00	Nur.	
Sambucus canadensis,	Black Berried Elder,	white,	June-July,	2 to 4 ft.	.10	.50	3.50	Here	
Sassafras variifolium,	Sassafras,	(hard to Trnsp.)			.15	1.00	8.00	Here	
Staphylea trifolia,	Bladder Nut,	yellow,	June,	2 to 4 ft.	.15	.80	6.00	Here	
Symphoricarpos vulgaris,	Indian Currant,	15 to 30 in.			.15	.60	4.00	Here	
Viburnum acerifolium,	Maple Leaved Arrow Wood,	white,	May,	1 to 3 ft.	.15	.75	5.00	T.&N.Y.	
Viburnum prunifolium,	Black Haw,	white,	May,	2 to 3 ft.	.15	1.00	6.00	Here	
Zanthoxylum americanum,	Prickly Ash,	open shade,	yellow,	red berries,	May,	2 to 3 ft.			
					.15	1.00	6.50	Here	

HOPEDALE NURSERIES

Hopedale, Illinois

